

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		"5583795".pn. and and screw\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:00
		head adj mount\$6 adj display and detachable adj display and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:39
		head adj mount\$6 adj display and sensor\$1 adj fusion and two adj sensor\$1 and support\$6 and user and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:23
S1	6690	head adj mount\$6 adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:38
S2	38	head adj mount\$6 adj display and (first and second) adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:04
S3	26	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 13:34
S4	25	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:40
S5	1	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and cranium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:40
S6	0	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and cranium and ocular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 13:48
S7	1	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and ocular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:44

S8	19	head adj mount\$6 adj display and sensor\$1 adj fusion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:21
S9	0	head adj mount\$6 adj display and sensor\$1 adj fusion and (first and second) adj sensor\$1 and support\$6 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:21
S10	0	head adj mount\$6 adj display and sensor\$1 adj fusion and (first and second) adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:22
S11	19	head adj mount\$6 adj display and sensor\$1 adj fusion and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:31
S13	6	head adj mount\$6 adj display and sensor\$1 adj fusion and two adj sensor\$1 and support\$6 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:39
S14	0	head adj mount\$6 adj display and sensor\$1 adj fusion and two adj sensor\$1 and support\$6 and user and ocular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:25
S15	0	head adj mount\$6 adj display and sensor\$1 adj fusion and two adj sensor\$1 and support\$6 and user and cranium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:25
S16	2	head adj mount\$6 adj display and cranium and ocular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:25
S17	0	head adj mount\$6 adj display and sensor\$1 adj fusion and two adj sensor\$1 and support\$6 and user and ballistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:31
S18	0	head adj mount\$6 adj display and sensor\$1 adj fusion and sensor\$1 and ballistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:31

S19	0	head adj mount\$6 adj displayn and ballistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:32
S20	23	head adj mount\$6 adj display and ballistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:01
S21	0	head adj mount\$6 adj display and ballistic and (first and second) adj sensor\$1 and support\$6 and user and cranium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:33
S22	0	head adj mount\$6 adj display and ballistic and (first and second) adj sensor\$1 and support\$6 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:33
S23	0	head adj mount\$6 adj display and ballistic and sensor\$1 adj fusion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:33
S24	1	head adj mount\$6 adj display and ballistic and ocular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:37
S25	1	head adj mount\$6 adj display and ballistic and ocular and helmet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:02
S26	0	head adj mount\$6 adj display and ballistic and ocular and helmet and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:38
S27	0	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and cranium and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:38
S28	0	head adj mount\$6 adj display and sensor\$1 adj fusion and two adj sensor\$1 and support\$6 and user and abttery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:39

S29	5	head adj mount\$6 adj display and sensor\$1 adj fusion and two adj sensor\$1 and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:39
S30	5	head adj mount\$6 adj display and ballistic and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:01
S31	11	head adj mount\$6 adj display and sensor\$1 adj fusion and sensor\$1 and support\$6 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:35
S32	0	head adj mount\$6 adj display and sensor\$1 adj fusion and sensor\$1 and support\$6 and user and parallax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:36
S33	6	head adj mount\$6 adj display and sensor\$1 adj fusion and sensor\$1 and support\$6 and user and parallax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:37
S34	1	head adj mount\$6 adj display and sensor\$1 adj fusion and sensor\$1 and support\$6 and user and parallax and power adj supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:38
S35	6	head adj mount\$6 adj display and sensor\$1 adj fusion and sensor\$1 and support\$6 and user and parallax and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:20
S36	4	head adj mount\$6 adj display and sensor\$1 adj fusion and sensor\$1 and support\$6 and user and parallax and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:39
S37	4	head adj mount\$6 adj display and sensor\$1 adj fusion and sensor\$1 and support\$6 and user and parallax and battery\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:39
S38	0	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and cranium and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:46

S39	6	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:40
S40	6	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and battery and transmit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:41
S41	0	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and battery and transmit\$6 and parallax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:41
S42	1	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and battery and transmit\$6 and ocular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:41
S43	1	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and cranium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 07:46
S44	6	head adj mount\$6 adj display and sensor\$1 adj fus\$6 and sensor\$1 and support\$6 and user and parallax and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:21
S45	0	head adj mount\$6 adj display and sensor\$1 adj fuse\$6 and sensor\$1 and support\$6 and user and parallax and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:21
S46	6	head adj mount\$6 adj display and sensor\$1 adj fusion\$6 and sensor\$1 and support\$6 and user and parallax and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:49
S47	0	head adj mount\$6 adj display and (cener adj line and mounted and sensor\$1 adj fusion\$6) and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:30
S48	0	head adj mount\$6 adj display and (center adj line and mounted and sensor\$1 adj fusion\$6) and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:30

S49	0	head adj mount\$6 adj display and (center adj line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:30
S50	13	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:31
S51	6	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1 and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:37
S52	4	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1 and battery and support\$6 and user and parallax and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:36
S53	0	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1 and battery and ocular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:37
S54	6	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1 and battery and axis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:38
S55	6	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1 and battery and axis and perpendicular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:38
S56	0	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1 and battery and axis and perpendicular and cranium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:38
S57	6	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1 and battery and axis and perpendicular and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:39
S58	5	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1 and battery and axis and perpendicular and user and support\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:39

S59	6	head adj mount\$6 adj display and (center and line and mount\$6 and sensor\$1 adj fusion\$6) and sensor\$1 and battery and axis and perpendicular and user and eyes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:44
S60	1	"5,495,576".pn. and center	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:34
S61	5	head adj mount\$6 adj display and sensor\$1 adj fusion\$6 and sensor\$1 and support\$6 and user and parallax and power and center and line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:47
S62	2	"5583795".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:04
S63	1	"5583795".pn. and perpendicular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:41
S64	1	head adj mount\$6 adj display and ballistic and ocular and helmet and perpendicular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:02
S65	1	head adj mount\$6 adj display and ballistic and ocular and helmet and perpendicular and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:03
S66	1	head adj mount\$6 adj display and ballistic and ocular and helmet and perpendicular and sensor\$1 and eyes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:05
S67	0	head adj mount\$6 adj display and ballistic and ocular and helmet and perpendicular and sensor\$1 and eyes and fusion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:04
S68	0	head adj mount\$6 adj display and ballistic and ocular and helmet and perpendicular and sensor\$1 and eyes and fusion\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:04

S69	0	head adj mount\$6 adj display and ballistic and ocular and helmet and perpendicular and sensor\$1 and eyes and parallax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:05
S70	1	"5,495,576".pn. and center and El and Er	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:52
S71	5	head adj mount\$6 adj display and sensor\$1 adj fusion\$6 and sensor\$1 and support\$6 and user and parallax and power and center and line and perpendicular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:47
S72	1	"5583795".pn. and perpendicular and ocular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:52
S73	0	"5583795".pn. and perpendicular and ocular adj axis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:43
S74	0	head adj mount\$6 adj display and (first and second) adj sensor\$1 and support\$6 and user and ocular adj axis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:44
S75	0	head adj mount\$6 adj display and ocular adj axis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:15
S76	1	head adj mount\$6 adj display and ballistic adj helmet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:16
S77	2	"5,864481".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:46
S78	1	"5,864481".pn. and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:03

S79	0	"5,495,576".pn. and bnattery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:52
S80	0	"5,495,576".pn. and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:03
S81	0	"5583795".pn. and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:17
S82	1	"5,495,576".pn. and parallax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:17
S83	0	"5,864481".pn. and parallax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:18
S84	0	"5583795".pn. and parallax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:04
S85	317	head adj mount\$6 adj display and parallax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:05
S86	2	head adj mount\$6 adj display and (first and second) adj sensor\$1 and parallax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:05
S87	0	head adj mount\$6 adj display and parallax adj remove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:06
S88	1	head adj mount\$6 adj display and parallax adj remove\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:06

S89	0	"5,495,576".pn. and tilt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:17
S90	0	"5,495,576".pn. and tilt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:37
S91	1	"5583795".pn. and tilt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:18
S92	0	"5,864481".pn. and tilt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:35
S93	1	"5583795".pn. and tilt\$6 and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:34
S94	0	"5583795".pn. and detachable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:00
S95	1	"5,864481".pn. and detachable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:35
S96	0	"5,495,576".pn. and detachable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:37
S97	0	head adj mount\$6 adj display and detachable adj display and detachable adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:39
S98	4	head adj mount\$6 adj display and detachable adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:41

S99	0	head adj mount\$6 adj display and detachable adj sesnors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:41
S10 0	0	"5583795".pn. and screw\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:00